

In the Claims:

Please amend the claims as indicated below.

1. (currently amended) A method for providing a personalized service in a communication system, the method comprising:

detecting physical presence of a user, wherein the detecting includes a determination, based on automatic detection of at least one physical attribute of the user's body directly from the user's body, that the user is currently in close physical proximity to the communication system;
~~and~~

creating, responsive to the detection of the physical presence of the user, a personal area network for the user including a plurality of devices identified within a personal area of the user;
and

providing the personalized service to the user within the personal area network based upon the physical presence of the user.

2. (original) The method of claim 1, wherein detecting the physical presence of the user comprises:

using a detector to detect the physical presence of the user.

3. (original) The method of claim 1, wherein detecting the physical presence of the user comprises:

using a detector in combination with an appliance gateway to detect the physical presence of the user.

4. (original) The method of claim 1, wherein providing the personalized service to the user based upon the physical presence of the user comprises:

using an appliance gateway to provide the personalized service to the user based upon the physical presence of the user.

5. (original) The method of claim 1, wherein detecting physical presence of the user comprises:
identifying the user.

6. (previously presented) The method of claim 5, wherein identifying the user comprises:
identifying the user based upon biometric information.

7. (previously presented) The method of claim 5, wherein providing the personalized service to the user based upon the physical presence of the user comprises:

providing the personalized service to the user based upon the identity of the user.

8. (original) The method of claim 7, wherein providing the personalized service to the user based upon the identity of the user comprises:

obtaining user-specific information based upon the identity of the user; and

providing the personalized service to the user based upon the user-specific information.

9. (original) The method of claim 8, wherein the user-specific information comprises at least one of:

- per-user rules;
- user-defined rules;
- user preferences; and
- user applications.

10. (original) The method of claim 8, wherein obtaining user-specific information based upon the identity of the user comprises at least one of:

- retrieving the user-specific information from a local storage of an appliance gateway;
- retrieving the user-specific information from the device;
- retrieving the user-specific information from another device; and retrieving the user-specific information from a remote storage over a communication network.

11. (original) The method of claim 8, wherein obtaining user-specific information based upon the identity of the user comprises:

- logically inferring some user-specific information from other user-specific information.

12. (previously presented) The method of claim 7, wherein providing the personalized service to the user based upon the identity of the user comprises at least one of:

- obtaining information for the user;
- anticipating needs of the user and providing said needs;
- updating user preference information;

simplifying device control for the user;

handling a user schedule; and

providing reminders to the user.

13. (currently amended) The method of claim 7, further comprising~~wherein providing the personalized service to the user based upon the identity of the user comprises:~~

wherein the creating of~~establishing a~~ the personal area network is ~~for the user~~ based upon the identity of the user; ~~and~~

~~— providing the personalized service to the user within the personal area network.~~

14. (original) The method of claim 13, wherein providing the personalized service to the user within the personal area network comprises:

providing information to the user within the personal area network.

15. (original) The method of claim 13, wherein providing the personalized service to the user within the personal area network comprises:

monitoring a supported device within the personal area network.

16. (original) The method of claim 13, wherein providing the personalized service to the user within the personal area network comprises:

monitoring the user within the personal area network.

17. (original) The method of claim 13, wherein providing the personalized service to the user within the personal area network comprises:

maintaining a schedule for the user; and
providing a reminder to the user within the personal area network.

18. (original) The method of claim 13 wherein providing the personalized service to the user within the personal area network comprises:

retrieving information for the user over a communication network.

19. (original) The method of claim 13, wherein providing the personalized service to the user within the personal area network comprises:

determining a user preference for a supported device.

20. (original) The method of claim 19, wherein providing the personalized service to the user within the personal area network further comprises:

updating user preference information to include the user preference for the supported device.

21. (currently amended) An apparatus comprising:

user detection logic operably coupled to detect physical presence of a user, wherein the user detection logic detects that the user is currently in close physical proximity to the communication system based on automatic detection of at least one physical attribute of the user's body directly from the user's body; ~~and~~

personal area network logic to, responsive to detection of the physical presence of the user, create a personal area network for the user including a plurality of devices identified within a personal area of the user; and

personal agent logic responsive to the user detection logic and operably coupled to provide personalized services to the user within the personal area network based upon the physical presence of the user.

22. (original) The apparatus of claim 21, wherein the user detection logic comprises a detector for detecting the physical presence of the user.

23. (original) The apparatus of claim 21, wherein the user detection logic is coupled to a detector for detecting the physical presence of the user.

24. (original) The apparatus of claim 21, wherein the user detection logic is operably coupled to identify the user.

25. (previously presented) The apparatus of claim 24, wherein the user detection logic is operably coupled to identify the user based upon

biometric information.

26. (original) The apparatus of claim 24, wherein the personal agent logic is operably coupled to provide the personalized service to the user based upon the identity of the user.

27. (original) The apparatus of claim 26, wherein the personal agent logic is operably coupled to obtain user-specific information based upon the identity of the user and provide the personalized service to the user based upon the user-specific information.

28. (original) The apparatus of claim 27, wherein the user-specific information comprises at least one of:

- per-user rules;
- user-defined rules;
- user preferences; and
- user applications.

29. (original) The apparatus of claim 27, wherein the personal agent logic is operably coupled to retrieve the user-specific information from at least one of:

- a local storage;
- a supported device; and
- a remote storage over a communication network.

30. (original) The apparatus of claim 27, wherein the personal agent logic is operably coupled to logically infer some user-specific information from other user-specific information.

31. (original) The apparatus of claim 26, wherein the personal agent logic is operably coupled to obtain information for the user.

32. (previously presented) The apparatus of claim 26, wherein the personal agent logic is operably coupled to anticipate needs of the user.

33. (original) The apparatus of claim 26, wherein the personal agent logic is operably coupled to update user preference information.

34. (original) The apparatus of claim 26, wherein the personal agent logic is operably coupled to simplify device control for the user.

35. (original) The apparatus of claim 26, wherein the personal agent logic is operably coupled to handle a user schedule.

36. (original) The apparatus of claim 26, wherein the personal agent logic is operably coupled to provide reminders to the user.

37. (currently amended) The apparatus of claim 26, wherein the personal area network ~~agent~~ logic is operably coupled to create the~~establish a~~ personal area network for the user based upon the identity of the user ~~and provide the personalized service to the user within the personal area network.~~

38. (original) The apparatus of claim 37, wherein the personal agent logic is operably coupled to provide information to the user within the personal area network.

39. (original) The apparatus of claim 37, wherein the personal agent logic is operably coupled to monitor a supported device within the personal area network.

40. (original) The apparatus of claim 37, wherein the personal agent logic is operably coupled to monitor the user within the personal area network.

41. (original) The apparatus of claim 37, wherein the personal agent logic is operably coupled to maintain a schedule for the user and provide a reminder to the user within the personal area network.

42. (original) The apparatus of claim 37, wherein the personal agent logic is operably coupled to retrieve information for the user over a communication network.

43. (original) The apparatus of claim 37, wherein the personal agent logic is operably coupled to determine a user preference for a supported device.

44. (original) The apparatus of claim 43, wherein the personal agent logic is operably coupled to update user preference information to include the user preference for the supported device.

45. (currently amended) A computer program product including a computer readable medium, the computer readable medium having a computer program stored thereon for controlling a computer system, the computer program comprising:

user detection logic programmed to detect physical presence of a user, wherein the user detection logic detects that the user is currently in close physical proximity to the computer system based on automatic detection of at least one physical attribute of the user's body directly from the user's body;

~~and~~

personal area network logic to, responsive to detection of the physical presence of the user, create a personal area network for the user including a plurality of devices identified within a personal area of the user; and

personal agent logic responsive to the user detection logic and programmed to provide personalized services to the user within the personal area network based upon the physical presence of the user.

46. (previously presented) The computer program product of claim 45, wherein the user detection logic comprises a detector for detecting the physical presence of the user.

47. (previously presented) The computer program product of claim 45, wherein the user detection logic is coupled to a detector for detecting the physical presence of the user.

48. (previously presented) The computer program product of claim 45, wherein the user detection logic is programmed to identify the user.

49. (previously presented) The computer program product of claim 48, wherein the user detection logic is programmed to identify the user based upon

biometric information.

50. (previously presented) The computer program product of claim 48, wherein the personal agent logic is programmed to provide the personalized service to the user based upon the identity of the user.

51. (previously presented) The computer program product of claim 50, wherein the personal agent logic is programmed to obtain user-specific information based upon the identity of the user and provide the personalized service to the user based upon the user-specific information.

52. (previously presented) The computer program product of claim 51, wherein the user-specific information comprises at least one of:

- per-user rules;
- user-defined rules;
- user preferences; and
- user applications.

53. (previously presented) The computer program product of claim 51, wherein the personal agent logic is programmed to retrieve the user-specific information from at least one of:

- a local storage;
- a supported device; and
- a remote storage over a communication network.

54. (previously presented) The computer program product of claim 51, wherein the personal agent logic is programmed to logically infer some user-specific information from other user-specific information.

55. (previously presented) The computer program product of claim 50, wherein the personal agent logic is programmed to obtain information for the user.

56. (previously presented) The computer program product of claim 50, wherein the personal agent logic is programmed to anticipate needs of the user and provide said needs.

57. (previously presented) The computer program product of claim 50, wherein the personal agent logic is programmed to update user preference information.

58. (previously presented) The computer program product of claim 50, wherein the personal agent logic is programmed to simplify device control for the user.

59. (previously presented) The computer program product of claim 50, wherein the personal agent logic is programmed to handle a user schedule.

60. (previously presented) The computer program product of claim 50, wherein the personal agent logic is programmed to provide reminders to the user.

61. (currently amended) The computer program product of claim 50, wherein the personal area network agent logic is programmed to establish ~~the~~ a personal area network for the user based upon the identity of the user ~~and provide the personalized service to the user within the personal area network.~~

62. (previously presented) The computer program product of claim 61, wherein the personal agent logic is programmed to provide information to the user within the personal area network.

63. (previously presented) The computer program product of claim 61, wherein the personal agent logic is programmed to monitor a supported device within the personal area network.

64. (previously presented) The computer program product of claim 61, wherein the personal agent logic is programmed to monitor the user within the personal area network.

65. (previously presented) The computer program product of claim 61, wherein the personal agent logic is programmed to maintain a schedule for the user and provide a reminder to the user within the personal area network.

66. (previously presented) The computer program product of claim 61, wherein the personal agent logic is programmed to retrieve information for the user over a communication network.

67. (previously presented) The computer program product of claim 61, wherein the personal agent logic is programmed to determine a user preference for a supported device.

68. (previously presented) The computer program product of claim 67, wherein the personal agent logic is programmed to update user preference information to include the user preference for the supported device.

69. (cancelled)

70. (cancelled)

71. (currently amended) A system for providing personalized services, the system comprising a gateway operably coupled to detect physical presence of a user, create a personal area network for the user including a plurality of devices identified within a personal area of the user responsive to the detection of the physical presence of the user, and to provide personalized services to the user within the personal area network based upon the physical presence of the user, wherein the gateway detects that the user is currently in close physical proximity to the gateway based on automatic detection of at least one physical attribute of the user's body directly from the user's body.

72. (original) The system of claim 71, further comprising a physical presence detector in communication with the gateway for providing physical presence information to the gateway.

73. (original) The system of claim 71, wherein the gateway is operably coupled to determine an identity of the user based upon the physical presence of the user and provide the personalized services to the user based upon the identity of the user.

74. (original) The system of claim 71, wherein the gateway is operably coupled to obtain user-specific information and provide the personalized services to the user based upon the user-specific information.

75. (original) The system of claim 74, wherein the gateway is operably coupled to obtain the user-specific information from at least one of:

- a local storage of the computer system;
- a supported device of the computer system; and
- a remote storage over a communication network.

Please add the following new claims:

76. (new) A method for providing a personalized service in a communication system, the method comprising:

- detecting physical presence of a user, wherein the detecting includes a determination, based on detection of at least one physical attribute of the user's body from the user's body, that the user is currently in close physical proximity to the communication system;

creating, responsive to the detection of the physical presence of the user, a personal area network for the user including a plurality of devices identified within a personal area of the user; and

providing the personalized service to the user within the personal area network based upon the physical presence of the user.

77. (new) A method for providing a personalized service in a communication system, the method comprising:

detecting physical presence of a user, wherein the detecting includes a determination, that the user is currently in close physical proximity to the communication system;

creating, responsive to the detection of the physical presence of the user, a personal area network for the user including a plurality of devices identified within a personal area of the user; and

providing the personalized service to the user within the personal area network based upon the physical presence of the user.